

CLAIMS

What is claimed is:

1. A device for use on a trampoline comprising:
a board having a front end, and a back end, wherein said front end and
5 said back end are each curved up from a horizontal plane of said
 trampoline; and
at least one securing member secured to said board, said at least one
 securing member adapted to receive a user's feet.
2. The device of claim 1, wherein said board is of a shape selected from a
10 group comprised of generally ovular, generally circular, generally
 rectangular, generally hexagonal, and generally elliptical.
3. The device of claim 1, wherein said board is a substantially shallow and
 generally elongated U-shape.
4. The device of claim 1, wherein said board is made of a material selected
15 from a group comprised of foam, ...
5. The device of claim 1, wherein said board is made of a non-slip material.
6. The device of claim 1, wherein a non-slip layer is rigidly secured to said
 top surface.
7. The device of claim 1, wherein said at least one securing member is made
20 of a material selected from a group comprised of a rubber, a rubber-like
 material, a plastic, a leather, a foam, and a nylon or other synthetic
 material.

8. The device of claim 1, wherein said at least one securing member further includes an adjustment mechanism.
9. The device of claim 8, wherein said adjustment mechanism is selected from a group comprised of a strap with a buckle, a stretchable material, and a hook-and-loop mechanism.
10. The device of claim 1, wherein said at least one securing member consists of a first securing member and a second securing member.
11. The device of claim 10, wherein said first securing member arranged in at an angle to said second securing member.
12. The device of claim 1, wherein said at least one securing member further includes at least one heel securing member.
13. The device of claim 12, wherein said at least one heel securing member further includes an adjustment mechanism.
14. The device of claim 12, wherein said at least one securing member and said at least one heel securing member are secured to said board by a mechanism selected from a group comprised of a screw, and a plurality of holes penetrating said board and said at least one securing member and said at least one heel securing member each penetrating one of said plurality of holes and being tied off in a knot at a bottom surface of said board.
15. The device of claim 14, wherein said bottom surface further includes a plurality of recesses to accommodate each of said screw or said knot.

16. The device of claim 6, wherein said non-slip layer has a plurality of holes, said board has a plurality of recesses, and each of said at least one securing member penetrates said plurality of holes of said non-slip layer and is secured to said board using a screw of being tied off in a knot, said
5 knot or a protrusion of said screw being within one of said plurality of recesses within said board.

17. A device for use on a trampoline comprising:
a board having a top surface, a bottom surface, a front end, and a back end, wherein said front end and said back end are each curved up
10 from a horizontal plane of said trampoline, forming a substantially shallow and generally elongated U-shape;
a non-slip layer rigidly secured to said top surface; and
two securing members attached to said board, each of said two securing members adapted to receive a user's foot.

15 18. The device for use on a trampoline of claim 17, wherein said board is of a shape selected from a group comprised of generally ovular, generally circular, generally rectangular, generally hexagonal, and generally elliptical.

19. The device for use on a trampoline of claim 17, wherein said board is
20 made of a material selected from a group comprised of foam ...

20. The device for use on a trampoline of claim 17, wherein said board is made of a non-slip material.

21. The device for use on a trampoline of claim 17, wherein each of said two securing members is made of a material selected from a group comprised of a rubber, a rubber-like material, a plastic, a leather, a foam, and a nylon or other synthetic material.
- 5 22. The device for use on a trampoline of claim 17, wherein each of said two securing members further includes an adjustment mechanism.
23. The device for use on a trampoline of claim 22, wherein said adjustment mechanism is selected from a group comprised of a strap with a buckle, a stretchable material, and a hook-and-loop mechanism.
- 10 24. The device for use on a trampoline of claim 17, wherein said two securing members are arranged in at an angle to one another.
25. The device for use on a trampoline of claim 17, wherein each of said two securing members further includes a heel securing member.
26. The device for use on a trampoline of claim 25, wherein each of said heel
15 securing members further includes an adjustment mechanism.
27. The device for use on a trampoline of claim 25, wherein said at least one securing member and said at least one heel securing member are secured to said board by a mechanism selected from a group comprised of a screw, and a plurality of holes penetrating said board and said at least one
20 securing member and said at least one heel securing member each penetrating one of said plurality of holes and being tied off in a knot at a bottom surface of said board.

28. The device for use on a trampoline of claim 27, wherein said bottom surface further includes a plurality of recesses to accommodate each of said screw or said knot.
29. The device for use on a trampoline of claim 17, wherein said non-slip layer
5 has a plurality of holes, said board has a plurality of recesses, and each of said at least one securing member penetrates said plurality of holes of said non-slip layer and is secured to said board using a screw or being tied off in a knot, said knot or a protrusion of said screw being within one of said plurality of recesses within said board.
- 10 30. A device used for playing on a trampoline comprising:
a board having a top surface, a bottom surface, a front end, and a back end, wherein said front end and said back end are both curved upward from a horizontal plane of said trampoline, forming a substantially shallow and generally elongated U-shape;
15 a non-slip layer adhered to said top surface;
a first securing member adapted to receive a user's first foot, said first securing member penetrating through said top surface and attached to said board at said bottom surface; and
a second securing member adapted to receive a user's second foot, said
20 second securing member penetrating through said top surface and attached to said board at said bottom surface.
31. The device used for playing on a trampoline of claim 30, wherein said board is of a shape selected from a group comprised of generally ovular,

generally circular, generally rectangular, generally hexagonal, generally hexagonal, and generally elliptical.

32. The device used for playing on a trampoline of claim 30, wherein said board is made of a material selected from a group comprised of foam, ...

5 33. The device used for playing on a trampoline of claim 30, wherein said board is made of a non-slip material.

34. The device used for playing on a trampoline of claim 30, wherein said first securing member and said second securing member are made of a material selected from a group comprised of a rubber, a rubber-like material, a plastic, a leather, a foam, and a nylon or other synthetic material.

10 35. The device used for playing on a trampoline of claim 30, wherein said first securing member and said second securing member further include an adjustment mechanism.

15 36. The device used for playing on a trampoline of claim 35, wherein said adjustment mechanism is selected from a group comprised of a strap with a buckle, a stretchable material, and a hook-and-loop mechanism.

37. The device used for playing on a trampoline of claim 30, wherein said first securing member and said second securing member are arranged in at an angle to one another.

20 38. The device used for playing on a trampoline of claim 30, wherein said first securing member and said second securing member each further include a heel securing member.

39. The device used for playing on a trampoline of claim 38, wherein each of said heel securing members further include an adjustment mechanism.

40. The device used for playing on a trampoline of claim 38, wherein each of said heel securing members are secured to said board by a mechanism selected from a group comprised of a screw, and a plurality of holes penetrating said board with each of said heel securing members penetrating one of said plurality of holes and being tied off in a knot at a bottom surface of said board.

41. The device used for playing on a trampoline of claim 40, wherein said bottom surface further includes a plurality of recesses to accommodate each of said screw or said knot.

42. The device used for playing on a trampoline of claim 30, wherein said non-slip layer has a plurality of holes, said board has a plurality of recesses, and each of said at least one securing member penetrates said plurality of holes of said non-slip layer and is secured to said board using a screw of being tied off in a knot, said knot or a protrusion of said screw being within one of said plurality of recesses within said board.